

AMENDMENTS TO THE CLAIMS

The current listing of the claims replaces all previous amendments and listings of the claims.

Claim 1 (Currently Amended): A data control apparatus comprising:

- an extension devices interface to which a plurality of extension devices are connectable;
- a recording media interface to which predetermined external recording media are detachably applied;
- a rewritable program memory for a main body to store a control program of the main body;
- a device control means for controlling the respective devices and for processing input image data on the basis of the control program of the main body; and
- an image control means to achieve control based on said device control means for recording and outputting the image data which have been processed and outputting them to any one of said extension devices;

said extension devices interface including a control data communication means for transferring and receiving control data with said extension devices, and a download exclusive communication means for downloading a control program ~~of the~~ a corresponding extension device of said extension ~~device~~ devices.

Claim 2 (Currently Amended): A data control apparatus as claimed in claim 1, wherein said device control means controls said image control means to transfer the control program stored in ~~said~~ a first external recording medium of said external recording media to said rewritable program memory for the main body when said first external recording

medium ~~in which~~ storing said control program of the main body ~~is stored~~ is applied to said recording media interface, and

said device control means controls said image control means to transfer the control program stored in said external recording medium through said download exclusive communication means to a program memory of the corresponding ~~said~~ extension device when ~~said~~ a second external recording medium ~~in which~~ storing said control program of the corresponding extension device ~~is stored~~ is applied to said recording media interface.

Claim 3 (Currently Amended): An image forming apparatus comprising:

a readout control means to read out an image of a manuscript;

a writing control means to output the image on a recording paper; and

a data control apparatus to make said readout control means reading out the image of the manuscript and to make said writing control means recording and outputting the read out image,

said data control apparatus including an extension devices interface to which a plurality of extension devices are connectable,

a recording media interface to which predetermined external recording media are detachably applied,

a rewritable program memory for a main body to store a control program of the main body,

a device control means for controlling the respective devices and for processing input image data on the basis of the control program of the main body, and

an image control means to achieve control based on said device control means for recording and outputting the image data which have been processed and outputting them to any one of said extension devices,

said extension devices interface having a control data communication means for transferring and receiving control data with said extension devices, and a download exclusive communication means for downloading a control program ~~of the~~ a corresponding extension device of said extension devices.

Claim 4 (Currently Amended): An image forming apparatus as claimed in claim 3, wherein said device control means controls said image control means to transfer the control program stored in a first ~~said~~ external recording medium of said external recording media to said rewritable program memory of the main body when said first external recording medium ~~in which~~ storing said control program of the main body ~~is stored~~ is applied to said recording media interface, and

said device control means controls said image control means to transfer the control program stored in said external recording medium through said download exclusive communication means to a program memory of the corresponding extension device when said a second external recording medium storing ~~in which~~ said control program of the corresponding extension device ~~is stored~~ is applied to said recording media interface.

Claim 5 (Previously Presented): A data control method comprising the steps of:
overwriting a program registered in a program memory of a main body of a data control apparatus;
downloading control programs of extension devices to a plurality of extension devices which are connected to an extension device interface of said data control apparatus;
transferring and receiving control data between said extension devices and said data control apparatus through control data communication means; and

downloading said control program for the extension devices through download exclusive communication means.

Claim 6 (Currently Amended): A data control method as claimed in claim 5, wherein said method further comprises the steps of:

transferring ~~the~~ a data control apparatus control program stored in said a first external recording medium to said program memory of the main body when ~~an~~ the first external recording medium ~~in which~~ storing said control program of the main body ~~is stored~~ is applied to said a recording media interface of the data control apparatus; and

transferring ~~the~~ an external device control program stored in said a second external recording medium through said download exclusive communication means to a program memory of a corresponding ~~said~~ extension device when ~~an~~ the second external recording medium ~~in which~~ storing said control program of the corresponding extension device ~~is stored~~ is applied to said recording media interface of the data control apparatus.

Claim 7 (Previously Presented): A data control method as claimed in claim 5 or 6, wherein said control data communication means and said download exclusive communication means are of asynchronous or synchronous serial communication.

Claim 8 (Currently Amended): A data control apparatus as claimed in claim 1 or 2, wherein said download exclusive communication means transfers said control program of the corresponding extension device in ~~the~~ a same communication method as said control data communication means.

Claim 9 (Currently Amended): A data control apparatus as claimed in claim 1 or 2, wherein said download exclusive communication means is different from said control data communication means in at least one of ~~the~~ a data transfer rate thereof or ~~the~~ a data format thereof.

Claim 10 (Currently Amended): A data control method as claimed in claim 5, wherein said download exclusive communication means is different from said control data communication means in at least one of ~~the~~ a data transfer rate thereof or ~~the~~ a data format thereof.

Claim 11 (Currently Amended): An image forming apparatus as claimed in claim 3 or 4, wherein said download exclusive communication means transfers said control program of the corresponding extension device in ~~the~~ a same communication method as said control data communication means.

Claim 12 (Currently Amended): An image forming apparatus as claimed in claim 3 or 4, wherein said download exclusive communication means is different from said control data communication means in at least one of ~~the~~ a data transfer rate thereof or ~~the~~ a data format thereof.

Claim 13 (Currently Amended): A data control apparatus as claimed in claim 8, wherein said download exclusive communication means is different from said control data communication means in at least one of ~~the~~ a data transfer rate thereof or ~~the~~ a data format thereof.

Claim 14 (Previously Presented): A data control apparatus as claimed in claim 1 or 2, wherein said control data communication means and said download exclusive communication means are of asynchronous or synchronous serial communication.

Claim 15 (Previously Presented): An image forming apparatus according to claim 3 or 4, wherein said control data communication means and said download exclusive communication means are of asynchronous or synchronous serial communication.

Claim 16 (Previously Presented): A data control apparatus comprising:

- an extension devices interface to which a plurality of extension devices are connectable;
- a recording media interface to which predetermined external recording media are detachably applied;
- a rewritable program memory for a main body to store a control program of the main body;
- a device controller configured to control the respective devices and to process input image data on the basis of the control program of the main body; and
- an image controller configured to record and output the processed image data to any one of the extension devices based on the device controller;

wherein the extension devices interface includes a control data communicator and a download exclusive communicator,

wherein the control data communicator is configured to transfer and receive control data with the extension devices, and

wherein the download exclusive communicator is configured to transfer from the extension devices interface to one of the extension devices a control program to be updated to control one of the extension devices.

Claim 17 (Currently Amended): The data control apparatus according to claim 16, wherein, when the program to be updated is activated, the data control apparatus is configured to select one of the plurality of extension devices or the main body as a target for download, and executes the download to the selected extension device or the main body.

Claim 18 (Currently Amended): The data control apparatus according to claim 16, wherein said device control controls said image controller to transfer the control program stored in ~~the~~ a first external recording medium of said external recording media to the rewritable program memory for the main body when the first external recording medium storing in which the control program of the main body ~~is stored~~ is applied to the recording media interface, and

the device controller controls the image controller to transfer the control program stored in ~~the~~ a second external recording medium through the download exclusive communicator to a program memory of a corresponding one of the extension devices when the second external recording medium in which storing the control program of the corresponding extension device ~~is stored~~ is applied to the recording media interface.

Claim 19 (Previously Presented): The data control apparatus according to claim 16, wherein a transfer rate at a time of downloading the control program is higher than a transfer rate at a time of another control data transfer.

Claim 20 (Previously Presented): A data control apparatus comprising:

- an extension devices interface to which a plurality of extension devices are connectable;
- a recording media interface to which predetermined external recording media are detachably applied;
- a rewritable program memory for a main body to store a control program of the main body; and
- a device controller configured to control the respective devices and to process input image data on the basis of the control program of the main body;

wherein the extension devices interface includes a control data communicator and a download exclusive communicator,

wherein the control data communicator is configured to transfer and receive control data with the extension devices, and

wherein the download exclusive communicator is configured to transfer from the extension devices interface to one of the extension devices a control program to be updated to control one of the extension devices.

Claim 21 (Currently Amended): A data control apparatus as claimed in claim 20, wherein the device controller is configured to control an image controller to transfer the control program stored in ~~the~~ a first external recording medium of said external recording media to the rewritable program memory for the main body when the first external recording medium storing in which the control program of the main body ~~is stored~~ is applied to the recording media interface, and

the device controller is configured to control the image controller to transfer the control program stored in ~~the~~ a second external recording medium through the download

exclusive communicator to a program memory of a corresponding one of the extension devices when the second external recording medium storing in which the control program of the corresponding extension device ~~is stored~~ is applied to the recording media interface.

Claim 22 (Previously Presented): An image forming apparatus comprising:

- a readout controller configured to read out an image of a document;
- a writing controller configured to output the image on a recording medium; and
- a data control apparatus to make the readout controller read out the image of the document and to make the writing controller record and output the read out image,

the data control apparatus including an extension devices interface to which a plurality of extension devices are connectable,

a recording media interface to which predetermined external recording media are detachably applied,

a rewritable program memory for a main body to store a control program of the main body, and

a device controller configured to control the respective devices and for processing input image data on the basis of the control program of the main body,

wherein the extension devices interface includes a control data communicator and a download exclusive communicator,

wherein the control data communicator is configured to transfer and receive control data with the extension devices, and

wherein the download exclusive communicator is configured to transfer from the extension devices interface to one of the extension devices a control program to be updated to control one of the extension devices.

Claim 23 (Currently Amended): An image forming apparatus as claimed in claim 22, wherein the device controller is configured to control an image controller to transfer the control program stored in ~~the~~ a first external recording medium of said external recording media to the rewritable program memory of the main body when the first external recording medium storing ~~in which~~ the control program of the main body ~~is stored~~ is applied to the recording media interface, and

the device controller is configured to control the image controller to transfer the control program stored in ~~the~~ a second external recording medium through the download exclusive communicator to a program memory of a corresponding one of the extension devices when the second external recording medium ~~in which~~ storing the control program of the corresponding extension device ~~is stored~~ is applied to the recording media interface.

Claim 24 (Previously Presented): A data control method comprising the steps of:
overwriting a program registered in a program memory of a main body of a data control apparatus;
downloading control programs of extension devices to a plurality of extension devices which are connected to an extension device interface of the data control apparatus;
transferring and receiving control data between the extension devices and the data control apparatus through control data communicator; and
downloading the control program for the extension devices through a download exclusive communicator.

Claim 25 (Currently Amended): A data control method as claimed in claim 24, wherein the method further comprises the steps of:

transferring ~~the~~ a data control apparatus control program stored in ~~the~~ a first external recording medium to the program memory of the main body when ~~an~~ the first external recording medium ~~in which~~ storing the control program of the main body ~~is stored~~ is applied to ~~the~~ a recording media interface of the data control apparatus; and

transferring ~~the~~ an external device control program stored in ~~the~~ a second external recording medium through the download exclusive communicator to a program memory of ~~the~~ a corresponding extension device when ~~an~~ the second external recording medium storing ~~in which~~ the control program of the corresponding extension device ~~is stored~~ is applied to the recording media interface of the data control apparatus.

Claim 26 (Previously Presented): A data control method as claimed in claim 24, wherein the control data communicator and the download exclusive communicator are of asynchronous or synchronous serial communication.

Claim 27 (Currently Amended): A data control apparatus as claimed in claim 20, wherein the download exclusive communicator is configured to transfer the control program of the one extension device in ~~the~~ a same communication method as the control data communicator.

Claim 28 (Currently Amended): A data control apparatus as claimed in claim 20, wherein the download exclusive communicator is different from the control data communicator in at least one of ~~the~~ a data transfer rate thereof or ~~the~~ a data format thereof.

Claim 29 (Currently Amended): A data control method as claimed in claim 24, wherein the download exclusive communicator is different from the control data communicator in at least one of ~~the~~ a data transfer rate thereof or ~~the~~ a data format thereof.

Claim 30 (Currently Amended): An image forming apparatus as claimed in claim 22, wherein the download exclusive communicator is configured to transfer the control program of the one extension device in ~~the~~ a same communication method as the control data communicator.

Claim 31 (Currently Amended): An image forming apparatus as claimed in claim 22, wherein the download exclusive communicator is different from the control data communicator in at least one of ~~the~~ a data transfer rate thereof or ~~the~~ a data format thereof.

Claim 32 (Currently Amended): A data control apparatus as claimed in claim 27, wherein the download exclusive communicator is different from the control data communicator in at least one of ~~the~~ a data transfer rate thereof or ~~the~~ a data format thereof.

Claim 33 (Previously Presented): A data control apparatus as claimed in claim 20, wherein the control data communicator and the download exclusive communicator are of asynchronous or synchronous serial communication.

Claim 34 (Previously Presented): An image forming apparatus according to claim 22, wherein the control data communicator and the download exclusive communicator are of asynchronous or synchronous serial communication.